

Tubing Mounted Junk Basket

UMS Flowell's Tubing Mounted Junk Basket is an integral part of the completion tubing string that is used as a means of catching dropped debris between the casing and tubing annulus, such as broken cable bands, bolts and other items that have been accidentally dropped into a well.

The junk basket can be configured for above an ESP - to prevent debris falling and blocking the pump intake, or alternatively the junk basket can be configured with a perforated pup joint above the junk basket and used below an ESP to prevent debris falling in to the lower completion.



Tubing Mounted Junk Basket



Features & Benefits

- Available for 9-5/8" production casing and for 3-1/2" and 4-1/2" tubing sizes
- Two cable slots with cable retaining clips
- High powered directional magnet to collect debris inside junk basket base
- Can be used for above and below an ESP. Perforated pup joint option for below an ESP
- Top guide shoe for aiding pulling out of hole
- Box x pin thread configuration

Specifications

- Low alloy or 13Cr metallurgy
- Matched tubing strength



Tubing Mounted Junk Basket

Part Number	Tubing connections	OD (in)	ID (in)	Material
JB958450EUE-01	4-1/2" 12.95# EUE	8.380	3.924	4140/13CR
JB958450VAM-01	4-1/2" 12.6# VAM TOP	8.380	3.958	4140/13CR
JB958350EUE-01	3-1/2" 9.3# EUE	8.380	2.961	4140/13CR
JB958350VAM-01	3-1/2" 9.2# VAM TOP	8.380	2.992	4140/13CR

