

Flush Joint Casing Clamp

The UMS Flowell Flush Joint Casing Clamp is used where space is premium and flush joint casing is required. The clamps are low profile for fitting in tight spaces, and grip the cables or service lines against the body of the casing.

Internal teeth on the clamp provide a grip on the casing to prevent the clamp from slipping.





Flush Joint Casing Clamp



Flush Joint Casing Clamps

Features & Benefits

- For flush joint casing where space is limited
- Internal teeth for gripping clamp to the casing
- No stop collars required
- Grips and protects cable and or service lines
- Precision investment casting
- Lightweight and robust
- 5-1/2" to 10-3/4" sizes available

Specifications

- Low alloy or 13Cr equivalent investment casting with Inconel 718 fasteners
- 14 ton load on clamp face before slippage



Flush Joint Casing Clamp

Part Number	Min Well Casing Size	Pod Size	OD (in)	ID (in)	Lines
PCC-525-04	7" 26#	5-1/2"	6.120	5.250 (For Grooved Pod Casing)	11mm X 11mm (QTY: 1)
PCC-690-01	9-5/8 70.3#	7"	8.000	6.900 (For Grooved Casing)	17.5x46.3mm or 16.3x42.5mm or 16.7x40.7mm (1 off) plus 2 off 3/8" dia bare lines.
PCC-700-04	9-5/8" 53.5#	7"	8.200	6.940 (For Grooved Pod Casing)	13mm X 13mm (QTY: 1), #4 MLE (QTY: 1)
PCC-700-06	9-5/8" 53.5#	7"	8.200	6.940 (For Grooved Pod Casing)	13mm X 13mm (QTY: 1)
PCC-700-07	9-5/8" 53.5#	7"	8.200	6.940 (For Grooved Pod Casing)	#4 MLE (QTY: 1)
PCC-700-12	9-5/8" 53.5#	7"	8.200	6.940 (For Grooved Pod Casing)	0.86" X 0.43" (QTY: 2), 1.248" X 0.486" MLE (QTY: 1)
PCC-7525-01	9-5/8" 53.5#	7-5/8"	8.375	7.525 (For Grooved Pod Casing)	13mm X 13mm (QTY: 2), 11mm X 11mm (QTY: 1), 1.342" X 0.572" MLE (QTY: 1)
PCC-7525-02	9-5/8" 53.5#	7-5/8"	8.375	7.525 (For Grooved Pod Casing)	13mm X 13mm (QTY: 2), 11mm X 11mm (QTY: 1)
PCC-7525-21	9-5/8" 53.5#	7-5/8"	8.375	7.525 (For Grooved Pod Casing)	Ø11mm (QTY: 2)
PCC-7525-28	9-5/8" 53.5#	7-5/8"	8.375	7.525 (For Grooved Pod Casing)	13mm X 13mm (QTY: 2), 11mm X 11mm (QTY: 2), 1.342" X 0.572" MLE (QTY: 1)
PCC-7525-30	9-5/8" 53.5#	7-5/8"	8.375	7.525 (For Grooved Pod Casing)	13mm X 13mm (QTY: 2), 11mm X 11mm (QTY: 2)
PCC-7625-06	10-3/4" 40.5#	7-5/8"	9.100	7.625	Ø3/8" (QTY: 2), 1.655" X 0.635" MLE (QTY: 1)
PCC-7625-09	10-3/4" 40.5#	7-5/8"	9.100	7.625	Ø3/8" (QTY: 2)
PCC-7625-12	9-5/8" 53.5#	7-5/8"	8.375	7.625	Ø3/8" (QTY: 2)
PCC-7625-16	9-5/8" 47#	7-5/8"	8.480	7.625	14mm X 14mm (QTY: 1), 26mm X 11mm (QTY: 1)
PCC-7625-25	10-3/4" 79.2#	7-5/8"	9.100	7.625	Ø1/4" (QTY: 1), Ø3/8" (QTY: 2), #1 MLE (QTY: 1)
PCC-7625-26	9-5/8" 47#	7-5/8"	8.480	7.625	22mm X 11mm (QTY: 2), 1.292" X 0.490" MLE (QTY: 1)
PCC-7625-28	9-5/8" 47#	7-5/8"	8.480	7.625	22mm X 11mm (QTY: 2)
PCC-7625-29	9-5/8" 47#	7-5/8"	8.480	7.625	44mm X 12mm (QTY: 1)
PCC-7625-38	9-5/8" 47#	7-5/8"	8.480	7.625	Ø1/4" (QTY: 5), Ø3/8" (QTY: 2)
PCC-7625-39C	10-3/4" 79.2#	7-5/8"	9.000	7.625	11mm X 11mm (QTY: 1), Ø3/8" (QTY: 1), #1 MLE (QTY: 1)
PCC-7625-40C	10-3/4" 79.2#	7-5/8"	9.000	7.625	11mm X 11mm (QTY: 1)
PCC-8625-14	10-3/4" 55.5#	8-5/8"	9.604	8.625	13mm X 13mm (QTY: 1)

